



www.nunoendustri.com

KALIP TAŞIMA PİMLERİ



SİPARİŞ ÖRNEĞİ

KTP01 32
D

Not: Toleranssız tüm ölçüler EN 22768-1(m) standardına göre tüm köşelere pah kırılacak.
Malzeme: CK45

KTP01

Sipariş Kodu	D h11	D1	L	L1	L2	KG	VW - AUDI
KTP01 32	32	40	145	10	175	3200	39D 866/3
KTP01 40	40	50	188	10	225	5000	39D 866/4
KTP01 50	50	60	230	11	273	8000	39D 866/5
KTP01 63	63	75	295	14	347	12500	39D 866/6
KTP01 76	76	95	360	15	422	31500	39D 866/7

KTP02

Sipariş Kodu	D	L	D1	L1	L2	KG	FIAT KOD
KTP02 29	29	150	38	6	178.5	2000	20116318/29
KTP02 33	33	170	43	6	200.5	3200	20116318/33
KTP02 43	43	195	53	8	233	5000	20116318/43
KTP02 53	53	180	65	10	227	8000	20116319/53
KTP02 53	53	235	65	10	282	8000	20116318/53
KTP02 63	63	215	78	12	272.5	13000	20116319/63
KTP02 63	63	295	78	12	325.5	12000	20116318/63
KTP02 78	78	355	95	14	421.5	30000	20116318/78

KTP03

Sipariş Kodu	D	D1	L	L1	L2	KG	FORD WDX
KTP03 35	35	45	125	12	162.5	3200	WDX22-70-01035
KTP03 50	50	63	190	12	227.5	8000	WDX22-70-01050
KTP03 63	63	75	280	12	317.5	12500	WDX22-70-01063
KTP03 80	80	95	320	12	357.5	31500	WDX22-70-01080

KTP04


Sipariş Kodu	D	D1	L	L1	L2	KG	PSA KOD
KTP04 32	32	40	132	6	154	6400	P 953 254 770
KTP04 40	40	50	170	8	197.8	10000	P 953 255 870
KTP04 50	50	63	212	10	247.8	16000	P 953 256 670
KTP04 63	63	80	265	12	309	25000	P 953 257 470

KTP05

Sipariş Kodu	D	L	D1	L1	L2	KG	OPEL KOD
KTP05 32	32	145.5	40	5	167.5	3200	F33 15 0049
KTP05 40	40	188.5	50	7	220.5	5000	F33 15 0051
KTP05 40	40	114.5	50	7	146.5	5000	F33 15 0050
KTP05 50	50	230.5	60	11	270.5	8000	F33 15 0052
KTP05 63	63	295.5	75	14	342.5	12500	F33 15 0053
KTP05 80	80	335.5	95	15	387.5	31500	F33 15 0054

KTP06

Sipariş Kodu	D	D1	L	L1	L2	KG	
KTP06 15.6	15.6	25	77	6	102.5		
KTP06 20.6	20.6	30	86	6	113.5		
KTP06 25.6	35.6	35	100	6	128.5		
KTP06 33	33	43	135	6	166.5		
KTP06 43	43	53	175	8	215.5		




www.nunoendustri.com

KALIP TAŞIMA BRAKET



SİPARİŞ ÖRNEĞİ
KTB01 - 16




Not: Toleranssız tüm ölçüler EN 22768-1 (m) standardına göre tüm köşelere pah kırılacak.

Malzeme: CK45


KTB01

D1 ▶	16▼	20▼	25▼	32▼	40▼	50▼	63▼	80▼	100▼
L1 ▶	80	90	100	120	140	160	200	250	300
L2 ▶	54	57	62	78	90	103	138	170	205
L3 ▶	20	25	30	32	40	45	50	65	80
L4 ▶	10	10	12	16	18	22	20	25	30
L5 ▶	34	37	38	46	54	59	78	100	125
F ▶	20	25	35	40	50	60	80	100	120
H ▶	6	8	10	10	12	14	16	18	20
Vida Deliği ▶	2	2	2	2	2	2	4	4	4
Vida ▶	M 8x25	M 10x30	M 12x40	M 16x45	M 20x60	M 24x70	M 20x85	M 24x120	M 30x140
Kg ▶	320	630	125	2000	3200	5000	8000	12500	20000




www.nunoendustri.com

KALIP TAŞIMA BRAKET



SİPARİŞ ÖRNEĞİ
KTB02 32
d2




Not: Toleranssız tüm ölçüler EN 22768-1(m) standardına göre tüm köşelere pah kırılacak.

Malzeme: ST52


KTB02

d2	d1	a	b	c	e	f	g	h	k	l	m	n	p	t	u	v	w	Taşıma Kapasitesi (kg)
32	30	126	185	80	75	50	38	85	50	10	45	40	12	20	40	30	30	6400
42	40	150	210	100	95	60	45	87	55	10	52	50	12	22,5	45	25	40	9000
52	50	175	240	120	115	75	50	95	70	15	62,5	60	16	25	50	35	45	16000
62	60	200	280	140	130	80	60	120	80	15	75	65	20	30	60	45	60	20000
82	80	250	300	160	150	100	75	105	95	-	100	90	20	30	60	30	60	36000



www.nunoendustri.com



KALIP TAŞIMA BRAKET





SİPARİŞ ÖRNEĞİ

KTB03 16
d1

FORM A



FORM B




Not: Toleranssız tüm ölçüler EN 22768-1(m) standardına göre tüm köşelere pah kırılacak.

Malzeme: 1.7131


KTB03

d1	d2	Form	d4	d5	f	l2	l3	l4	l5	l6	t	Taşıma Kapasitesi (kg)
16	9	A	15	60	20	6	20	10	80	34	9	320
20	11	A	18	70	25	8	25	10	90	37	11	630
25	13.5	A	20	70	35	8	30	12	100	38	13	1250
32	17.5	A	26	110	40	10	32	16	120	46	17.5	2000
40	22	A	33	110	50	10	40	18	140	54	21.5	3200
50	26	A	40	150	60	12	45	22	160	59	25.5	5000
63	22	B	33	150	80	12	50	20	200	78	21.5	8000
80	26	B	40	150	100	15	65	25	250	100	25.5	12500
100	33	B	48	150	120	15	80	30	300	125	32	20000





www.nunoendustri.com


KALIP TAŞIMA BRAKETİ



ŞEKİL A




Not: Toleranssız tüm ölçüler EN 22768-1(m) standardına göre tüm köşelere pah kırılacak.
Malzeme: 1.7131




KTB04


Sipariş No	Şekil	Max. Kg	a	b	c	d	f	g(H13)	h	i	m	n	o	p	w	d3
016	A	1200	80	50	40	22.5	39	16	70	32	12.5	80	145	52	11	15.6
021	A	2000	90	60	40	27.5	42	21	79	36	16.5	90	160	56	13	20.6
026	A	4000	100	65	65	32.5	60	26	90	50	21	120	215	70	20	25.6



ŞEKİL B




Not: Toleranssız tüm ölçüler EN 22768-1(m) standardına göre tüm köşelere pah kırılacak.
Malzeme: 1.7131




KTB05

Sipariş No	Şekil	Max. Kg	a	b	c	d	e	f	g	h	i	l	m	n	o	p	q	r	s	t	w	d3
034	B	8000	135	56	84	60	20	85	34	125	100	96	111	18	28	50	30	30	72	221	30	33
044	B	14000	180	80	110	70	30	100	44	160	125	130	140	22	36	60	40	35	90	270	40	43



www.nunoendustri.com



SİPARİŞ ÖRNEĞİ

KBE08 20 45
D1 D3

Not: Toleranssız tüm ölçüler EN 22768-1(m)

Malzeme: 1.7131

KBE08

D1 ▶	16▼	20▼	25▼	32▼	40▼
D3 ▶	M16	M20	M24	M30	M36
L2 ▶	16	20	25	32	40
L3 ▶	22	25	32	40	50
L4 ▶	6	7	8	10	12
L5 ▶	50	60	78	95	118
SW ▶	27	32	36	41	50
KG ▶	320	500	1000	1500	2500